ELSEVIER

Journal of Organometallic Chemistry 657 (2002) 289–290

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Contents of Volume 657

Editorial
M. Vaultier 1

Recent developments in the chemistry of the nine-vertex monocarbaboranes
B. Štíbr, B. Wrackmeyer 3

Imide- and amide-supported Group 5 and 6 metallacarboranes
A.K. Hughes 9

The use of Kitaigorodskii's *Aufbau* principle in the solid-state study of crystalline borane compounds. A preliminary account
C. O'Dowd, J.D. Kennedy, M. Thornton-Pett 20

Chemistry on a metallathiaborane cluster Part 4: reactions of 11-vertex rhodathiaboranes with bidentate phosphines and their subsequent rearrangements
O. Volkov, R. Macias, N.P. Rath, L. Barton 40

Molecular construction based on icosahedral carboranes and aromatic *N*,*N*′-dimethylurea groups. Aromatic layered molecules and a transition metal complex
Y. Endo, C. Songkram, R. Yamasaki, A. Tanatani, H. Kagechika, K. Takaishi, K. Yamaguchi 48

Functionalized cobalt bis(dicarbollide) ions as selective extraction reagents for removal of M^{2+} and M^{3+} cations from nuclear waste, crystal and molecular structures of the $[8,8'\text{-}\mu\text{-}CIP(O)(O)_2<(1,2\text{-}C_2B_9H_{10})_2\text{-}3,3'\text{-}Co]HN(C_2H_5)_3$ and $[8,8'\text{-}\mu\text{-}Et_2NP(O)(O)_2<(1,2\text{-}C_2B_9H_{10})_2\text{-}3,3'\text{-}Co](HN(CH_3)_3)$
J. Plešek, B. Grüner, I. Císařová, J. Báča, P. Selucký, J. Rais 59

Synthesis and structure of 2,4,6-tris[tris(dimethylamino)silylamino]borazine: $\{[(CH_3)_2N]_3SiNH\}_3B_3N_3H_3$
F. Cheng, B. Toury, S.J. Archibald, J.S. Bradley 71

High resolution solid state NMR investigation of various boron nitride preceramic polymers
C. Gervais, F. Babonneau 75

Synthesis of $[B_{12}H_{12}]^{2-}$ based extractants and their application for the treatment of nuclear wastes
R. Bernard, D. Cornu, B. Grüner, J.-F. Dozol, P. Miele, B. Bonnetot 83

Pyrolysis of poly[2,4,6-tri(methylamino)borazine] and its conversion into BN fibers
S. Bernard, D. Cornu, P. Miele, H. Vincent, J. Bouix 91

Porous boron nitride supports obtained from molecular precursors. Influence of the precursor formulation and of the thermal treatment on the properties of the BN ceramic
J.A. Perdigon-Melon, A. Auroux, D. Cornu, P. Miele, B. Toury, B. Bonnetot 98

Boron nitride thin fibres obtained from a new copolymer borazine–tri(methylamino)borazine precursor
C. Duriez, E. Framery, B. Toury, P. Toutois, P. Miele, M. Vaultier, B. Bonnetot 107

Synthesis and structure of rhodium complexes with monoanionic carborane ligand $[9\text{-}SMe_2\text{-}7,8\text{-}C_2B_9H_{10}]^-$
A.R. Kudinov, D.S. Perekalin, P.V. Petrovskii, K.A. Lyssenko, G.V. Grintselev-Knyazev, Z.A. Starikova 115

Allylboration of functionalized isoquinolines
F.V. Pastukhov, I.V. Yampolsky, Y.N. Bubnov 123

Syntheses with organoboranes. XIII. Synthesis of ω-(4-bromophenyl)alkanoic acids and their borylation
M. Zaidlewicz, A. Wolan 129

Chiral boronates—versatile reagents in asymmetric synthesis
S. Thormeier, B. Carboni, D.E. Kaufmann 136

Elsevier Science B.V.
PII: S0022-328X(02)01756-4

Reactivity of some poly-1-alkynylsilicon and -tin compounds towards triallylborane—routes to novel heterocycles
B. Wrackmeyer, M.H. Bhatti, S. Ali, O.L. Tok, Y.N. Bubnov 146

Dihydrogen bonding of decahydro-*closo*-decaborate(2−) and dodecahydro-*closo*-dodecaborate(2−) anions with proton donors: experimental and theoretical investigation
E.S. Shubina, E.V. Bakhmutova, A.M. Filin, I.B. Sivaev, L.N. Teplitskaya, A.L. Chistyakov, I.V. Stankevich, V.I. Bakhmutov, V.I. Bregadze, L.M. Epstein 155

Synthesis and derivatization of the 2-amino-*closo*-decaborate anion $[2\text{-}B_{10}H_9NH_3]^-$
I.B. Sivaev, N.A. Votinova, V.I. Bragin, Z.A. Starikova, L.V. Goeva, V.I. Bregadze, S. Sjöberg 163

Polysubstituted derivatives of 3-(η^5-Cp)-4-SMe_2-3,1,2-$FeC_2B_9H_{10}$. X-ray structure of 3-(η^5-Cp)-4-SMe_2-7,8-$(CF_3COO)_2$-12-HgCl-3,1,2-$FeC_2B_9H_7$
V.I. Bregadze, I.A. Lobanova, S.V. Timofeev, A.R. Kudinov, V.I. Meshcheryakov, O.L. Tok, P.V. Petrovskii, Z.A. Starikova 171

Polyhedral monocarbaborane chemistry: The C,B-*para*-diphenyl monocarbadodecaborane anion $[1,12\text{-}Ph_2\text{-}closo\text{-}1\text{-}CB_{11}H_{10}]^-$
A. Franken, C.A. Kilner, M. Thornton-Pett, J.D. Kennedy 176

Polyhedral monocarbaborane chemistry: The *closo*-$[PhCB_7H_7]^-$ and *closo*-$[PhCB_{10}H_{10}]^-$ anions: the two missing species in the *closo*-$[PhCB_nH_n]^-$ sequence
A. Franken, C.A. Kilner, M. Thornton-Pett, J.D. Kennedy 180

Pd(II) bromide complexes of 1,2-bis(diphenylphosphino)-1,2-dicarba-*closo*-dodecaborane. Crystal structures of $[PdBr_2(1,2\text{-}(PPh_2)_2\text{-}1,2\text{-}C_2B_{10}H_{10})]\cdot CH_2Cl_2$, $[PdBr_{1.133}Cl_{0.867}(1,2\text{-}(PPh_2)_2\text{-}1,2\text{-}C_2B_{10}H_{10})]\cdot CH_2Cl_2$ and $[PdBrCl_{0.541}Me_{0.459}(1,2\text{-}(PPh_2)_2\text{-}1,2\text{-}C_2B_{10}H_{10})]\cdot CHCl_3$
S. Paavola, F. Teixidor, C. Viñas, R. Kivekäs 187

X-ray analysis and structural characterization of 2-phenyl-6-aza-1,3-dioxa-2-borabenzocyclononenones
H.I. Beltrán, L.S. Zamudio-Rivera, T. Mancilla, R. Santillan, N. Farfán 194

Azanonaborane-pyridine derivatives $[(R'C_5H_4N)B_8H_{11}NHR'']$: synthesis, structure and some molecular-orbital calculations
C. Bauer, D. Gabel, T. Borrmann, J.D. Kennedy, C.A. Kilner, M. Thornton-Pett, U. Dörfler 205

Retention of the B(3)–X (X = Br, I) bond in *closo*-*o*-carborane derivatives after nucleophilic attack. The first synthesis of [3-X-7-R-7,8-*nido*-$C_2B_9H_{10}]^-$ (X = Br, I). Crystal structure of $[HNMe_3][3\text{-}I\text{-}7,8\text{-}nido\text{-}C_2B_9H_{11}]$
G. Barberà, C. Viñas, F. Teixidor, A.J. Welch, G.M. Rosair 217

Phosphine–boranes incorporating the carborane cluster
R. Núñez, C. Viñas, F. Teixidor, R. Sillanpää, R. Kivekäs 224

Modulation of the C–C distance in disubstituted 1,2-R_2-*o*-carboranes. Crystal structure of *closo* 1,2-$(SPh)_2$-1,2-$C_2B_{10}H_{10}$
J. Llop, C. Viñas, J.M. Oliva, F. Teixidor, M.A. Flores, R. Kivekas, R. Sillanpää 232

Cobaltabisdicarbollide anion $[Co(C_2B_9H_{11})_2]^-$ as doping agent on intelligent membranes for ion capture
C. Masalles, F. Teixidor, S. Borrós, C. Viñas 239

Recent studies on $RR'S\cdot C_2B_9H_{11}$ charge-compensated ligands: Crystal structures of 10-$(S(CH_3)_2)$-7,8-$C_2B_9H_{11}$ and 10-$(S(CH_2)_4)$-7,8-$C_2B_9H_{11}$
O. Tutusaus, F. Teixidor, R. Núñez, C. Viñas, R. Sillanpää, R. Kivekäs 247

Macropolyhedral boron-containing cluster chemistry: Models for intermediates en route to globular and discoidal megaloborane assemblies. Structures of [*nido*-$B_{10}H_{12}$(*nido*-$B_5H_8)_2$] and [$(CH_2CH_2C_5H_4N)$-*arachno*-$B_{10}H_{10}(NC_5H_4$-*closo*-$C_2B_{10}H_{10})$] as determined by synchrotron X-ray diffraction analysis
J. Bould, M.G.S. Londesborough, D.L. Ormsby, J.A. Hugh MacBride, K. Wade, C.A. Kilner, W. Clegg, S.J. Teat, M. Thornton-Pett, R. Greatrex, J.D. Kennedy 256

Macropolyhedral boron-containing cluster chemistry: A novel triple-cluster structural motif. Isolation and characterisation of contiguous twenty-vertex $[(PPh_3)_4ClPd_4B_{16}H_{17}(PPh_3)_2]$
M.G.S. Londesborough, C.A. Kilner, M. Thornton-Pett, J.D. Kennedy 262

Palladium-catalyzed cross-coupling reactions of arylboronic acids and 2-I-*p*-carborane
L. Eriksson, I.P. Beletskaya, V.I. Bregadze, I.B. Sivaev, S. Sjöberg 267

Macropolyhedral thiaboranes with unusual *arachno* subclusters—a computational investigation
M. Hofmann, S.K. Goll 273

Erratum 279
Author Index of Volume 657 281
Subject Index of Volume 657 283
Contents of Volume 657 289